

# Certificate of Compliance

**Certificate Number:**

E523050

**Report Reference:**

E523050-20240111

**Issue Date:**

2025-September-22

Issued to:

**SIEMENS ELECTRICAL APPARATUS LTD SUZHOU  
455 ZHU JIANG RD  
SUZHOU NEW DISTRICT  
SUZHOU, Jiangsu 215129 China ]**

This certificate confirms that representative samples of:

**SWITCHES, INDUSTRIAL CONTROL - COMPONENT**  
**See addendum page for Model/Product**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC

**[See addendum page for Standards]**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch  
UL Mark Certification Program Owner



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Standard(s) for Safety:

UL 508 - Industrial Control Equipment;  
CSA C22.2 No. 14 // CSA C22.2 No. 14-18 - Industrial Control Equipment.

---

## Models :

Switches, Industrial Control, Electromagnetic relays -  
PR2K-D6-□ (a), PR2K-D12-□ (a), PR2K-D24-□ (a), PR2K-D36-□ (a), PR2K-D48-□ (a),  
PR2K-D110-□ (a), PR2K-A12-□ (a), PR2K-A24-□ (a), PR2K-A36-□ (a), PR2K-A48-□ (a),  
PR2K-A110-□ (a), PR2K-A220-□ (a), PR2K-A240-□ (a), PR2KL-D6-□ (a), PR2KL-D12-□ (a),  
PR2KL-D24-□ (a), PR2KL-D36-□ (a), PR2KL-D48-□ (a), PR2KL-D110-□ (a), PR2KL-A12-□  
(a), PR2KL-A24-□ (a), PR2KL-A36-□ (a), PR2KL-A48-□ (a), PR2KL-A110-□ (a), PR2KL-  
A220-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
PR2KLD-A240-□ (a), PR2KLD-D6-□ (a), PR2KLD-D12-□ (a), PR2KLD-D24-□ (a), PR2KLD-  
D36-□ (a), PR2KLD-D48-□ (a), PR2KLD-D110-□ (a), PR2KLD-D220-□ (a), PR2KLT-D6-□ (a),  
PR2KLT-D12-□ (a), PR2KLT-D24-□ (a), PR2KLT-D36-□ (a), PR2KLT-D48-□ (a), PR2KLT-  
D110-□ (a), PR2KLT-A12-□ (a), PR2KLT-A24-□ (a), PR2KLT-A36-□ (a), PR2KLT-A48-□ (a),  
PR2KLT-A110-□ (a), PR2KLT-A220-□ (a), PR2KLT-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
PR2KLTD-D6-□ (a), PR2KLTD-D12-□ (a), PR2KLTD-D24-□ (a), PR2KLTD-D36-□ (a),  
PR2KLTD-D48-□ (a), PR2KLTD-D110-□ (a), PR2KLTD-D220-□ (a), PR2KLTR-A12-□ (a),  
PR2KLTR-A24-□ (a), PR2KLTR-A36-□ (a), PR2KLTR-A48-□ (a), PR2KLTR-A110-□ (a),  
PR2KLTR-A220-□ (a), PR2KLTR-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

Switches, Industrial Control, Electromagnetic relays -

PR3K-D6-□ (a), PR3K-D12-□ (a), PR3K-D24-□ (a), PR3K-D36-□ (a), PR3K-D48-□ (a),  
PR3K-D110-□ (a), PR3K-A12-□ (a), PR3K-A24-□ (a), PR3K-A36-□ (a), PR3K-A48-□ (a),  
PR3K-A110-□ (a), PR3K-A220-□ (a), PR3K-A240-□ (a), PR3KL-D6-□ (a), PR3KL-D12-□ (a),  
PR3KL-D24-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

PR3KL-D36-□ (a), PR3KL-D48-□ (a), PR3KL-D110-□ (a), PR3KL-A12-□ (a), PR3KL-A24-□  
(a), PR3KL-A36-□ (a), PR3KL-A48-□ (a), PR3KL-A110-□ (a), PR3KL-A220-□ (a), PR3KL-  
A240-□ (a), PR3KLD-D6-□ (a), PR3KLD-D12-□ (a), PR3KLD-D24-□ (a), PR3KLD-D36-□ (a),  
PR3KLD-D48-□ (a), PR3KLD-D110-□ (a), PR3KLD-D220-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

PR4K-D6-□ (a), PR4K-D12-□ (a), PR4K-D24-□ (a), PR4K-D36-□ (a), PR4K-D48-□ (a),  
PR4K-D110-□ (a), PR4K-A12-□ (a), PR4K-A24-□ (a), PR4K-A36-□ (a), PR4K-A48-□ (a),  
PR4K-A110-□ (a), PR4K-A220-□ (a), PR4K-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

PR4KL-D6-□ (a), PR4KL-D12-□ (a), PR4KL-D24-□ (a), PR4KL-D36-□ (a), PR4KL-D48-□ (a),  
PR4KL-D110-□ (a), PR4KL-A12-□ (a), PR4KL-A24-□ (a), PR4KL-A36-□ (a), PR4KL-A48-□  
(a), PR4KL-A110-□ (a), PR4KL-A220-□ (a), PR4KL-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

PR4KLD-D6-□ (a), PR4KLD-D12-□ (a), PR4KLD-D24-□ (a), PR4KLD-D36-□ (a), PR4KLD-  
D48-□ (a), PR4KLD-D110-□ (a), PR4KLD-D220-□ (a), ER2E-D6-□ (a)

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
ER2E-D12-□ (a), ER2E-D24-□ (a), ER2E-D36-□ (a), ER2E-D48-□ (a), ER2E-D110-□ (a),  
ER2E-A12-□ (a), ER2E-A24-□ (a), ER2E-A36-□ (a), ER2E-A48-□ (a), ER2E-A110-□ (a),  
ER2E-A220-□ (a), ER2E-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
ER2EL-D6-□ (a), ER2EL-D12-□ (a), ER2EL-D24-□ (a), ER2EL-D36-□ (a), ER2EL-D48-□ (a),  
ER2EL-D110-□ (a), ER2EL-D220-□ (a), ER2EL-A12-□ (a), ER2EL-A24-□ (a), ER2EL-A36-□  
(a), ER2EL-A48-□ (a), ER2EL-A110-□ (a), ER2EL-A220-□ (a), ER2EL-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
ER2ELD-D6-□ (a), ER2ELD-D12-□ (a), ER2ELD-D24-□ (a), ER2ELD-D36-□ (a), ER2ELD-  
D48-□ (a), ER2ELD-D110-□ (a), ER2ELD-D220-□ (a), ER3E-D6-□ (a), ER3E-D12-□ (a),  
ER3E-D24-□ (a), ER3E-D36-□ (a), ER3E-D48-□ (a), ER3E-D110-□ (a), ER3E-A12-□ (a),  
ER3E-A24-□ (a), ER3E-A36-□ (a), ER3E-A48-□ (a), ER3E-A110-□ (a), ER3E-A220-□ (a),  
ER3E-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
ER3EL-D6-□ (a), ER3EL-D12-□ (a), ER3EL-D24-□ (a), ER3EL-D36-□ (a), ER3EL-D48-□ (a),  
ER3EL-D110-□ (a), ER3EL-A12-□ (a), ER3EL-A24-□ (a), ER3EL-A36-□ (a), ER3EL-A48-□  
(a), ER3EL-A110-□ (a), ER3EL-A220-□ (a), ER3EL-A240-□ (a), ER3ELD-D6-□ (a), ER3ELD-  
D12-□ (a), ER3ELD-D24-□ (a), ER3ELD-D36-□ (a), ER3ELD-D48-□ (a), ER3ELD-D110-□  
(a), ER3ELD-D220-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

Switches, Industrial Control, Electromagnetic relays -

ER4C-D6-□ (a), ER4C-D12-□ (a), ER4C-D24-□ (a), ER4C-D36-□ (a), ER4C-D48-□ (a), ER4C-D110-□ (a), ER4C-A12-□ (a), ER4C-A24-□ (a), ER4C-A36-□ (a), ER4C-A48-□ (a), ER4C-A110-□ (a), ER4C-A220-□ (a), ER4C-A240-□ (a), ER4CL-D6-□ (a), ER4CL-D12-□ (a), ER4CL-D24-□ (a), ER4CL-D36-□ (a), ER4CL-D48-□ (a), ER4CL-D110-□ (a), ER4CL-D220-□ (a), ER4CL-A12-□ (a), ER4CL-A24-□ (a), ER4CL-A36-□ (a), ER4CL-A48-□ (a), ER4CL-A110-□ (a), ER4CL-A220-□ (a), ER4CL-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

ER4CLD-D6-□ (a), ER4CLD-D12-□ (a), ER4CLD-D24-□ (a), ER4CLD-D36-□ (a), ER4CLD-D48-□ (a), ER4CLD-D110-□ (a), ER4CLD-D220-□ (a), HR2E-D6-□ (a), HR2E-D12-□ (a), HR2E-D24-□ (a), HR2E-D36-□ (a), HR2E-D48-□ (a), HR2E-D110-□ (a), HR2E-A12-□ (a), HR2E-A24-□ (a), HR2E-A36-□ (a), HR2E-A48-□ (a), HR2E-A110-□ (a), HR2E-A220-□ (a), HR2E-A240-□ (a), HR2ELD-D6-□ (a), HR2ELD-D12-□ (a), HR2ELD-D24-□ (a), HR2ELD-D36-□ (a), HR2ELD-D48-□ (a), HR2ELD-D110-□ (a), HR2ELD-D220-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

HR4C-D6-□ (a), HR4C-D12-□ (a), HR4C-D24-□ (a), HR4C-D36-□ (a), HR4C-D48-□ (a), HR4C-D110-□ (a), HR4C-A12-□ (a), HR4C-A24-□ (a), HR4C-A36-□ (a), HR4C-A48-□ (a), HR4C-A110-□ (a), HR4C-A220-□ (a), HR4C-A240-□ (a), HR4CL-D6-□ (a), HR4CL-D12-□ (a), HR4CL-D24-□ (a), HR4CL-D36-□ (a), HR4CL-D48-□ (a), HR4CL-D110-□ (a), HR4CL-A12-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –

HR4CL-A24-□ (a), HR4CL-A36-□ (a), HR4CL-A48-□ (a), HR4CL-A110-□ (a), HR4CL-A220-□ (a), HR4CL-A240-□ (a), HR4CLD-D6-□ (a), HR4CLD-D12-□ (a), HR4CLD-D24-□ (a), HR4CLD-D36-□ (a), HR4CLD-D48-□ (a), HR4CLD-D110-□ (a), HR4CLD-D220-□ (a), NR2ELT-D6-□ (a), NR2ELT-D12-□ (a), NR2ELT-D24-□ (a), NR2ELT-D36-□ (a), NR2ELT-

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

D48-□ (a), NR2ELT-D110-□ (a), NR2ELT-A12-□ (a), NR2ELT-A24-□ (a), NR2ELT-A36-□ (a), NR2ELT-A48-□ (a), NR2ELT-A110-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

NR2ELT-A220-□ (a), NR2ELT-A240-□ (a), NR2ELTD-D6-□ (a), NR2ELTD-D12-□ (a), NR2ELTD-D24-□ (a), NR2ELTD-D36-□ (a), NR2ELTD-D48-□ (a), NR2ELTD-D110-□ (a), NR2ELTD-D220-□ (a), NR2ELTR-A12-□ (a), NR2ELTR-A24-□ (a), NR2ELTR-A36-□ (a), NR2ELTR-A48-□ (a), NR2ELTR-A110-□ (a), NR2ELTR-A220-□ (a), NR2ELTR-A240-□ (a), NR4CLT-D6-□ (a), NR4CLT-D12-□ (a), NR4CLT-D24-□ (a), NR4CLT-D36-□ (a), NR4CLT-D48-□ (a), NR4CLT-D110-□ (a), NR4CLT-A12-□ (a), NR4CLT-A24-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

NR4CLT-A36-□ (a), NR4CLT-A48-□ (a), NR4CLT-A110-□ (a), NR4CLT-A220-□ (a), NR4CLT-A240-□ (a), NR4CLTD-D6-□ (a), NR4CLTD-D12-□ (a), NR4CLTD-D24-□ (a), NR4CLTD-D36-□ (a), NR4CLTD-D48-□ (a), NR4CLTD-D110-□ (a), NR4CLTD-D220-□ (a), NR4CLTR-A12-□ (a), NR4CLTR-A24-□ (a), NR4CLTR-A36-□ (a), NR4CLTR-A48-□ (a), NR4CLTR-A110-□ (a), NR4CLTR-A220-□ (a), NR4CLTR-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

STF08A, STF08A1, STF11A, STF14A, STF08AE, STF08A1E, STF14AE, SKB08E, SKB14E

Switches, Industrial Control, Electromagnetic relays

SR1M-D6-□ (a), SR1M-D12-□ (a), SR1M-D24-□ (a), SR1M-D36-□ (a), SR1M-D48-□ (a), SR1M-D110-□ (a), SR1M-A12-□ (a), SR1M-A24-□ (a), SR1M-A36-□ (a), SR1M-A48-□ (a), SR1M-A110-□ (a), SR1M-A220-□ (a), SR1M-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

SR1ML-D6-□ (a), SR1ML-D12-□ (a), SR1ML-D24-□ (a), SR1ML-D36-□ (a), SR1ML-D48-□ (a), SR1ML-D110-□ (a), SR1ML-A12-□ (a), SR1ML-A24-□ (a), SR1ML-A36-□ (a), SR1ML-A48-□ (a), SR1ML-A110-□ (a), SR1ML-A220-□ (a), SR1ML-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
SR1MLD-D6-□ (a), SR1MLD-D12-□ (a), SR1MLD-D24-□ (a), SR1MLD-D36-□ (a), SR1MLD-D48-□ (a), SR1MLD-D110-□ (a), SR1MLR-A12-□ (a), SR1MLR-A24-□ (a), SR1MLR-A36-□ (a), SR1MLR-A48-□ (a), SR1MLR-A110-□ (a), SR1MLR-A220-□ (a), SR1MLR-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
SR1MLT-D6-□ (a), SR1MLT-D12-□ (a), SR1MLT-D24-□ (a), SR1MLT-D36-□ (a), SR1MLT-D48-□ (a), SR1MLT-D110-□ (a), SR1MLT-A12-□ (a), SR1MLT-A24-□ (a), SR1MLT-A36-□ (a), SR1MLT-A48-□ (a), SR1MLT-A110-□ (a), SR1MLT-A220-□ (a), SR1MLT-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
SR1MLTD-D6-□ (a), SR1MLTD-D12-□ (a), SR1MLTD-D24-□ (a), SR1MLTD-D36-□ (a), SR1MLTD-D48-□ (a), SR1MLTD-D110-□ (a), SR1MLTR-A12-□ (a), SR1MLTR-A24-□ (a), SR1MLTR-A36-□ (a), SR1MLTR-A48-□ (a), SR1MLTR-A110-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -  
SR1MLTR-A220-□ (a), SR1MLTR-A240-□ (a), SR2H-D6-□ (a), SR2H-D12-□ (a), SR2H-D24-□ (a), SR2H-D36-□ (a), SR2H-D48-□ (a), SR2H-D110-□ (a), SR2H-A12-□ (a), SR2H-A24-□ (a), SR2H-A36-□ (a), SR2H-A48-□ (a), SR2H-A110-□ (a), SR2H-A220-□ (a), SR2H-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

Switches, Industrial Control, Electromagnetic relays -

SR2HL-D6-□ (a), SR2HL-D12-□ (a), SR2HL-D24-□ (a), SR2HL-D36-□ (a), SR2HL-D48-□ (a), SR2HL-D110-□ (a), SR2HL-A12-□ (a), SR2HL-A24-□ (a), SR2HL-A36-□ (a), SR2HL-A48-□ (a), SR2HL-A110-□ (a), SR2HL-A220-□ (a), SR2HL-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

SR2HLD-D6-□ (a), SR2HLD-D12-□ (a), SR2HLD-D24-□ (a), SR2HLD-D36-□ (a), SR2HLD-D48-□ (a), SR2HLD-D110-□ (a), SR2HLR-A12-□ (a), SR2HLR-A24-□ (a), SR2HLR-A36-□ (a), SR2HLR-A48-□ (a), SR2HLR-A110-□ (a), SR2HLR-A220-□ (a), SR2HLR-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

SR2HLT-D6-□ (a), SR2HLT-D12-□ (a), SR2HLT-D24-□ (a), SR2HLT-D36-□ (a), SR2HLT-D48-□ (a), SR2HLT-D110-□ (a), SR2HLT-A12-□ (a), SR2HLT-A24-□ (a), SR2HLT-A36-□ (a), SR2HLT-A48-□ (a), SR2HLT-A110-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

SR2HLT-A220-□ (a), SR2HLT-A240-□ (a), SSF05FE, SSW05, SSF08FE, SSW08, SR2HLTD-D6-□ (a), SR2HLTD-D12-□ (a), SR2HLTD-D24-□ (a), SR2HLTD-D36-□ (a), SR2HLTD-D48-□ (a), SR2HLTD-D110-□ (a), SR2HLTR-A12-□ (a), SR2HLTR-A24-□ (a), SR2HLTR-A36-□ (a), SR2HLTR-A48-□ (a), SR2HLTR-A110-□ (a), SR2HLTR-A220-□ (a), SR2HLTR-A240-□ (a)

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays -

HR2EL-D6-□ (a), HR2EL-D12-□ (a), HR2EL-D24-□ (a), HR2EL-D36-□ (a), HR2EL-D48-□ (a), HR2EL-D110-□ (a), HR2EL-A12-□ (a), HR2EL-A24-□ (a), HR2EL-A36-□ (a), HR2EL-A48-□ (a), HR2EL-A110-□ (a), HR2EL-A220-□ (a), HR2EL-A240-□ (a)

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

(a) - □ :Auxiliary code(be comprised of 2-10 characters); no sign: standard type; Marked as required: to identify delivery information

-----

Switches, Industrial Control, Electromagnetic relays –  
NR2EL-D6-□ [a], NR2EL-D12-□ [a], NR2EL-D24-□ [a], NR2EL-D36-□ [a], NR2EL-D48-□ [a],  
NR2EL-D110-□ [a], NR2EL-D220-□ [a], NR2EL-A12-□ [a], NR2EL-A24-□ [a], NR2EL-A36-□  
[a], NR2EL-A48-□ [a], NR2EL-A110-□ [a], NR2EL-A220-□ [a], NR2EL-A240-□ [a], NR2ELD-  
D6-□ [a], NR2ELD-D12-□ [a]

[a] - □: Auxiliary code(be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –  
NR2ELD-D24-□ [a], NR2ELD-D36-□ [a], NR2ELD-D48-□ [a], NR2ELD-D110-□ [a], NR2ELD-  
D220-□ [a], NR2ELR-A12-□ [a], NR2ELR-A24-□ [a], NR2ELR-A36-□ [a], NR2ELR-A48-□ [a],  
NR2ELR-A110-□ [a], NR2ELR-A220-□ [a], NR2ELR-A240-□ [a], NR4CL-D6-□ [a], NR4CL-  
D12-□ [a], NR4CL-D24-□ [a], NR4CL-D36-□ [a]

[a] - □: Auxiliary code(be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –  
NR4CL-D48-□ [a], NR4CL-D110-□ [a], NR4CL-A12-□ [a], NR4CL-A24-□ [a], NR4CL-A36-□  
[a], NR4CL-A48-□ [a], NR4CL-A110-□ [a], NR4CL-A220-□ [a], NR4CL-A240-□ [a], NR4CLD-  
D6-□ [a], NR4CLD-D12-□ [a], NR4CLD-D24-□ [a], NR4CLD-D36-□ [a], NR4CLD-D48-□ [a],  
NR4CLD-D110-□ [a]

[a] - □: Auxiliary code(be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –  
NR4CLD-D220-□ [a], NR4CLR-A12-□ [a], NR4CLR-A24-□ [a], NR4CLR-A36-□ [a], NR4CLR-  
A48-□ [a], NR4CLR-A110-□ [a], NR4CLR-A220-□ [a], NR4CLR-A240-□ [a], NR3EL-D24-□  
[a], NR3EL-A220-□ [a], NR3ELT-D24-□ [a], NR3ELT-A220-□ [a]

[a] - □: Auxiliary code(be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

Switches, Industrial Control, Electromagnetic relays –

NR2ML-D6-□ [a], NR2ML-D12-□ [a], NR2ML-D24-□ [a], NR2ML-D36-□ [a], NR2ML-D48-□ [a], NR2ML-D110-□ [a], NR2ML-D220-□ [a], NR2ML-A12-□ [a], NR2ML-A24-□ [a], NR2ML-A36-□ [a], NR2ML-A48-□ [a], NR2ML-A110-□ [a], NR2ML-A220-□ [a], NR2ML-A240-□ [a], NR2MLD-D6-□ [a]

[a] - □: Auxiliary code (be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –

NR2MLD-D12-□ [a], NR2MLD-D24-□ [a], NR2MLD-D36-□ [a], NR2MLD-D48-□ [a], NR2MLD-D110-□ [a], NR2MLD-D220-□ [a], NR2MLR-A12-□ [a], NR2MLR-A24-□ [a], NR2MLR-A36-□ [a], NR2MLR-A48-□ [a], NR2MLR-A110-□ [a], NR2MLR-A220-□ [a], NR2MLR-A240-□ [a]

[a] - □: Auxiliary code (be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –

NR2MT-D6-□ [a], NR2MT-D12-□ [a], NR2MT-D24-□ [a], NR2MT-D36-□ [a], NR2MT-D48-□ [a], NR2MT-D110-□ [a], NR2MT-D220-□ [a], NR2MT-A12-□ [a], NR2MT-A24-□ [a], NR2MT-A36-□ [a], NR2MT-A48-□ [a], NR2MT-A110-□ [a], NR2MT-A220-□ [a], NR2MT-A240-□ [a], NR2MLT-D6-□ [a], NR2MLT-D12-□ [a]

[a] - □: Auxiliary code (be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –

NR2MLT-D24-□ [a], NR2MLT-D36-□ [a], NR2MLT-D48-□ [a], NR2MLT-D110-□ [a], NR2MLT-D220-□ [a], NR2MLT-A12-□ [a], NR2MLT-A24-□ [a], NR2MLT-A36-□ [a], NR2MLT-A48-□ [a], NR2MLT-A110-□ [a], NR2MLT-A220-□ [a], NR2MLT-A240-□ [a], NR2MLTD-D6-□ [a], NR2MLTD-D12-□ [a], NR2MLTD-D24-□ [a], NR2MLTD-D36-□ [a]

[a] - □: Auxiliary code (be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –

NR2MLTD-D48-□ [a], NR2MLTD-D110-□ [a], NR2MLTD-D220-□ [a], NR2MLTR-A12-□ [a], NR2MLTR-A24-□ [a], NR2MLTR-A36-□ [a], NR2MLTR-A48-□ [a], NR2MLTR-A110-□ [a]

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

NR2MLTR-A220-□ [a], NR2MLTR-A240-□ [a], NR4FL-D6-□ [a], NR4FL-D12-□ [a], NR4FL-D24-□ [a], NR4FL-D36-□ [a], NR4FL-D48-□ [a], NR4FL-D110-□ [a]

[a] - □: Auxiliary code (be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –  
NR4FL-D220-□ [a], NR4FL-A12-□ [a], NR4FL-A24-□ [a], NR4FL-A36-□ [a], NR4FL-A48-□ [a], NR4FL-A110-□ [a], NR4FL-A220-□ [a], NR4FL-A240-□ [a], NR4FLT-D6-□ [a], NR4FLT-D12-□ [a], NR4FLT-D24-□ [a], NR4FLT-D36-□ [a], NR4FLT-D48-□ [a], NR4FLT-D110-□ [a], NR4FLT-D220-□ [a], NR4FLT-A12-□ [a]

[a] - □: Auxiliary code (be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –  
NR4FLT-A24-□ [a], NR4FLT-A36-□ [a], NR4FLT-A48-□ [a], NR4FLT-A110-□ [a], NR4FLT-A220-□ [a], NR4FLT-A240-□ [a], NR4FLTD-D6-□ [a], NR4FLTD-D12-□ [a], NR4FLTD-D24-□ [a], NR4FLTD-D36-□ [a], NR4FLTD-D48-□ [a], NR4FLTD-D110-□ [a], NR4FLTD-D220-□ [a], NR4FLTR-A12-□ [a], NR4FLTR-A24-□ [a], NR4FLTR-A36-□ [a]

[a] - □: Auxiliary code (be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –  
NR4FLTR-A48-□ [a], NR4FLTR-A110-□ [a], NR4FLTR-A220-□ [a], NR4FLTR-A240-□ [a], NR4FLD-D6-□ [a], NR4FLD-D12-□ [a], NR4FLD-D24-□ [a], NR4FLD-D36-□ [a], NR4FLD-D48-□ [a], NR4FLD-D110-□ [a], NR4FLD-D220-□ [a], NR4FLR-A12-□ [a], NR4FLR-A24-□ [a], NR4FLR-A36-□ [a], NR4FLR-A48-□ [a], NR4FLR-A110-□ [a]

[a] - □: Auxiliary code (be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Switches, Industrial Control, Electromagnetic relays –  
NR4FLR-A220-□ [a], NR4FLR-A240-□ [a], NR4FT-D6-□ [a], NR4FT-D12-□ [a], NR4FT-D24-□ [a], NR4FT-D36-□ [a], NR4FT-D48-□ [a], NR4FT-D110-□ [a], NR4FT-D220-□ [a], NR4FT-A12-□ [a], NR4FT-A24-□ [a], NR4FT-A36-□ [a], NR4FT-A48-□ [a], NR4FT-A110-□ [a], NR4FT-A220-□ [a], NR4FT-A240-□ [a]

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

[a] - □: Auxiliary code (be comprised of 2-10 characters), no sign: standard type, Marked as required: to identify delivery information

Industrial Control Switches:

UR1CF-D3-□, UR1CF-D5-□, UR1CF-D6-□, UR1CF-D9-□, UR1CF-D12-□, UR1CF-D15-□, UR1CF-D18-□, UR1CF-D24-□, UR1CF-D36-P-□, UR1CF-D48-P-□, UR1CF-D60-P-□, UR1CF-D3-P-□, UR1CF-D5-P-□, UR1CF-D6-P-□, UR1CF-D9-P-□, UR1CF-D12-P-□, UR1CF-D15-P-□, UR1CF-D18-P-□, UR1CF-D24-P-□, UR1CF-D36-□, UR1CF-D48-□, UR1CF-D60-□, UR1CF-D3-P-S-□, UR1CF-D5-P-S-□, UR1CF-D6-P-S-□, UR1CF-D9-P-S-□, UR1CF-D12-P-S-□, UR1CF-D15-P-S-□, UR1CF-D18-P-S-□, UR1CF-D24-P-S-□, UR1CF-D36-S-□, UR1CF-D48-S-□, UR1CF-D60-S-□, UR1CF-D3-P-S-AS-□, UR1CF-D5-P-S-AS-□, UR1CF-D6-P-S-AS-□, UR1CF-D9-P-S-AS-□, UR1CF-D12-P-S-AS-□, UR1CF-D15-P-S-AS-□, UR1CF-D18-P-S-AS-□, UR1CF-D24-P-S-AS-□, UR1CF-D36-S-AS-□, UR1CF-D48-S-AS-□, UR1CF-D60-S-AS-□, UR1CF-D3-P-AS-□, UR1CF-D5-P-AS-□, UR1CF-D6-P-AS-□, UR1CF-D9-P-AS-□, UR1CF-D12-P-AS-□, UR1CF-D15-P-AS-□, UR1CF-D18-P-AS-□, UR1CF-D24-P-AS-□, UR1CF-D36-AS-□, UR1CF-D48-AS-□, UR1CF-D60-AS-□, UR1CF-D3-P-G-□, UR1CF-D5-P-G-□, UR1CF-D6-P-G-□, UR1CF-D9-P-G-□, UR1CF-D12-P-G-□, UR1CF-D15-P-G-□, UR1CF-D18-P-G-□, UR1CF-D24-P-G-□, UR1CF-D36-G-□, UR1CF-D48-G-□, UR1CF-D60-G-□, UR1CF-D3-S-□, UR1CF-D5-S-□, UR1CF-D6-S-□, UR1CF-D9-S-□, UR1CF-D12-S-□, UR1CF-D15-S-□, UR1CF-D18-S-□, UR1CF-D24-S-□, UR1CF-D36-P-S-□, UR1CF-D48-P-S-□, UR1CF-D60-P-S-□, UR1CF-D3-S-AS-□, UR1CF-D5-S-AS-□, UR1CF-D6-S-AS-□, UR1CF-D9-S-AS-□, UR1CF-D12-S-AS-□, UR1CF-D15-S-AS-□, UR1CF-D18-S-AS-□, UR1CF-D24-S-AS-□, UR1CF-D36-P-S-AS-□, UR1CF-D48-P-S-AS-□, UR1CF-D60-P-S-AS-□, UR1CF-D3-S-G-□, UR1CF-D5-S-G-□, UR1CF-D6-S-G-□, UR1CF-D9-S-G-□, UR1CF-D12-S-G-□, UR1CF-D15-S-G-□, UR1CF-D18-S-G-□, UR1CF-D24-S-G-□, UR1CF-D36-S-G-□, UR1CF-D48-S-G-□, UR1CF-D60-S-G-□, UR1CF-D3-AS-□, UR1CF-D5-AS-□, UR1CF-D6-AS-□, UR1CF-D9-AS-□, UR1CF-D12-AS-□, UR1CF-D15-AS-□, UR1CF-D18-AS-□, UR1CF-D24-AS-□, UR1CF-D36-P-AS-□, UR1CF-D48-P-AS-□, UR1CF-D60-P-AS-□, UR1CF-D3-G-□, UR1CF-D5-G-□, UR1CF-D6-G-□, UR1CF-D9-G-□, UR1CF-D12-G-□, UR1CF-D15-G-□, UR1CF-D18-G-□, UR1CF-D24-G-□, UR1CF-D36-P-G-□, UR1CF-D48-P-G-□, UR1CF-D60-P-G-□, UR1AF-D3-□, UR1AF-D5-□, UR1AF-D6-□, UR1AF-D9-□, UR1AF-D12-□, UR1AF-D15-□, UR1AF-D18-□, UR1AF-D24-□, UR1AF-D36-P-□, UR1AF-D48-P-□, UR1AF-D60-P-□, UR1AF-D3-P-□, UR1AF-D5-P-□, UR1AF-D6-P-□, UR1AF-D9-P-□, UR1AF-D12-P-□, UR1AF-D15-P-□, UR1AF-D18-P-□, UR1AF-D24-P-□, UR1AF-D36-□, UR1AF-D48-□, UR1AF-D60-□, UR1AF-D3-P-S-□, UR1AF-D5-P-S-□, UR1AF-D6-P-S-□, UR1AF-D9-P-S-□, UR1AF-D12-P-S-□, UR1AF-D15-P-S-□, UR1AF-D18-P-S-□, UR1AF-D24-P-S-□, UR1AF-D36-S-□, UR1AF-D48-S-□, UR1AF-D60-S-□, UR1AF-D3-P-S-AS-□, UR1AF-D5-P-S-AS-□, UR1AF-D6-P-S-AS-□, UR1AF-D9-P-S-AS-□, UR1AF-D12-P-S-AS-□, UR1AF-D15-P-S-AS-□, UR1AF-D18-P-S-AS-□, UR1AF-D24-P-S-AS-□, UR1AF-D36-S-AS-□, UR1AF-D48-S-AS-□, UR1AF-D60-S-AS-□, UR1AF-D3-P-AS-□, UR1AF-D5-P-AS-□, UR1AF-D6-P-AS-□, UR1AF-D9-P-AS-□, UR1AF-D12-P-AS-□, UR1AF-D15-P-AS-□, UR1AF-D18-P-AS-□, UR1AF-D24-P-AS-□, UR1AF-D36-AS-□, UR1AF-D48-AS-□, UR1AF-D60-AS-□, UR1AF-D3-P-G-□, UR1AF-D5-P-G-□, UR1AF-D6-P-G-□, UR1AF-D9-P-G-□, UR1AF-D12-P-G-□, UR1AF-D15-P-G-□, UR1AF-D18-P-G-□, UR1AF-D24-P-G-□, UR1AF-D36-G-□, UR1AF-D48-G-□, UR1AF-D60-G-□, UR1AF-D3-S-□, UR1AF-D5-S-□, UR1AF-D6-S-□, UR1AF-D9-S-□, UR1AF-D12-S-□, UR1AF-D15-S-□, UR1AF-D18-S-□

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

□ refers to where Auxiliary code (separated by "-") : 1. No mark: supply according to conventional model. 2. Marked: marked as required. The marked code is composed of 1-10 characters to mark the supply information.

# Certificate of Compliance

**Certificate Number:** E523050  
**Report Reference:** E523050-20240111  
**Issue Date:** 2025-September-22

## Industrial Control Switches:

UR1AF-D24-S-□, UR1AF-D36-P-S-□, UR1AF-D48-P-S-□, UR1AF-D60-P-S-□, UR1AF-D3-S-AS-□, UR1AF-D5-S-AS-□, UR1AF-D6-S-AS-□, UR1AF-D9-S-AS-□, UR1AF-D12-S-AS-□, UR1AF-D15-S-AS-□, UR1AF-D18-S-AS-□, UR1AF-D24-S-AS-□, UR1AF-D36-P-S-AS-□, UR1AF-D48-P-S-AS-□, UR1AF-D60-P-S-AS-□, UR1AF-D3-S-G-□, UR1AF-D5-S-G-□, UR1AF-D6-S-G-□, UR1AF-D9-S-G-□, UR1AF-D12-S-G-□, UR1AF-D15-S-G-□, UR1AF-D18-S-G-□, UR1AF-D24-S-G-□, UR1AF-D36-S-G-□, UR1AF-D48-S-G-□, UR1AF-D60-S-G-□, UR1AF-D3-AS-□, UR1AF-D5-AS-□, UR1AF-D6-AS-□, UR1AF-D9-AS-□, UR1AF-D12-AS-□, UR1AF-D15-AS-□, UR1AF-D18-AS-□, UR1AF-D24-AS-□, UR1AF-D36-P-AS-□, UR1AF-D48-P-AS-□, UR1AF-D60-P-AS-□, UR1AF-D3-G-□, UR1AF-D5-G-□, UR1AF-D6-G-□, UR1AF-D9-G-□, UR1AF-D12-G-□, UR1AF-D15-G-□, UR1AF-D18-G-□, UR1AF-D24-G-□, UR1AF-D36-P-G-□, UR1AF-D48-P-G-□, UR1AF-D60-P-G-□, SUF05F-D5-□, SUF05F-AD12-□, SUF05F-A12-□, SUF05F-D12-□, SUF05F-AD15-□, SUF05F-A15-□, SUF05F-D15-□, SUF05F-AD18-□, SUF05F-A18-□, SUF05F-D18-□, SUF05F-AD24-□, SUF05F-A24-□, SUF05F-D24-□, SUF05F-AD48-□, SUF05F-A48-□, SUF05F-D48-□, SUF05F-AD60-□, SUF05F-A60-□, SUF05F-D60-□, SUF05F-AD110-□, SUF05F-A110-□, SUF05F-D110-□, SUF05F-A120-□, SUF05F-D120-□, SUF05F-A125-□, SUF05F-D125-□, SUF05F-AD125-□, SUF05F-AD220-□, SUF05F-A220-□, SUF05F-D220-□, SUF05F-A230-□, SUF05F-D230-□, SUF05F-A240-□, SUF05F-D240-□, SUF05F-AD240-□

□ refers to where Auxiliary code (separated by "-"): 1. No mark: supply according to conventional model. 2. Marked: marked as required. The marked code is composed of 1-10 characters to mark the supply information.